3560+ Kepart Sent to

United States Envi	ronmental Protection Agency		
	gton, D.C. 20460		
	nce Inspection Report	o	
Section A: N	ational Data System Coding	(i.e. PCS)	
Transaction Code NPDES		nspection Type	
1N 25 3 DG 1 3 1 0 0 3 11	12 1 4 0 7 2 3 17 Remarks	18 C	Inspector Fac Type 19 S 20 3
21 D WORSHAK NATIONAL	FISH HATCHE	RY	66
Inspection Work Days Facility Self-Monitoring Eva	luation Rating BI QA		
67 5 0 69 70 5	71 N 72 N		Reserved 80
	Section B: Facility Data		
Name and Location of Facility Inspected (For industrial uses	s discharging to	Entry Time/Date	Permit Effective Date
POTW, also include POTW name and NPDES permit numb	er)	7/23/2014 9:00	DECEMBER 1,2007
Dworshak National Fish Hatchery			
276 Dworshak Complex Drive Orofino, Idaho 83544		Exit Time/Date	Permit Expiration Date
Ordino, idano 83544	9	7/23/2014 13:00	30-Nov-12
Name(s) of On-Site Representative(s)/Title(s)/Phone and Fa	N. Altumba and		
Mr. Mark Drobish - Hatchery Manager	ix Numbers	Other Facility Data (e.g.,	SIC, NAICS, and other
208-476-2236		descriptive information)	
		SIC = 0273 (Animal Aqua	nou iltrura \
and the second s	A 20	NAICS = 112511	icollule)
Name, Address of Responsible Official/Title/Phone and Fax	Number	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Mr. Mark Drobish - Hatchery Manager Telephone # - 208	476-2236		
276 Dworshak National Fish Hatcher FAX# 208-476-3	252 Contacted	0	104
Orofino, Idaho 83544	X Yes No		
Section C: Areas Evaluated D	uring Inspection (Check or	ly those areas eval	uated)
x Permit Self-Monitor		atment	MS4
x Records/Reports Complianc	e Schedule Polluti	on Prevention	
x Facility Site Review x Laboratory	Storm	Water	
	& Maintenance Combi	ned Sewer Overflow	
x Flow Measurement x Sludge Hai	ndling/Disposal Sanita	ry Sewer Overflow	
Section	D: Summary of Findings/Comment		
(Attach additional sheets of narrative a	nd checklists, including Single Even	s It Violation codes as nec	agganul .
SEV Codes SEV Description	ong ong o Lyon	RECE	N/=D
		RECL	18-0
		OCT 1	0 2014
		061	0 2017
			and a moment Unit
		Inspection & Enforce	ment Management Unit
		(IE	MU)
Name(s) and Signature(s) of Inspector(s)	Aconomi/Office/Db		
	Agency/Office/Phone and Fax Num		Date .
Michael Spomer Michael Sporrer	Idaho Dept. of Environmental Quali	ty - 208-373-0232	8/6/2014
4 4			
A.J. Maupin, P.E.	IDEQ State Office / 208-373-0167 /	208-373-0576	190 0 1
PA Form 3560-3 (Rev 1-06) Prayious additions are obsolete			2980072014

ICIS, 10-31-2014 VBco~

· Prince .



Idaho Department of Environmental Quality

AQUACULTURE FACILITY INSPECTION SURVEY

General NPDES Permit Numbers IDG-131003 Effective: December 1, 2007 - November 30, 2012

PURPOSE OF INSPECTION:	Determination of compliance with NPDES permit
	and the Clean Water Act.
TYPE OF INSPECTION:	\square Unannounced $\square \mathbf{X}$ Announced
	\Box CSI \Box X CEI \Box Recon
DATE(s) OF PREVIOUS NPDES	Date: October 2012
INSPECTIONS:	
PENDING OR CURRENT	NOV Letter from EPA dated December 11,
ENFORCEMENT ACTIONS:	2008 and a Notice of Continuing
(review NOV and warning letters on file)	Noncompliance dated February 9, 2011 to
	correct
100	1. Cleaning practices on Burrow System
	III
	2. Use of standard flow measuring devices
FACILITY NAME:	Dworshak National Fish Hatchery
NPDES PERMIT #	IDG-131003
FACILITY CONTACT:	Name: Mr. Mark Drobish
	Hatchery Manager
. , , , , ,	DI N. I. 200 4EC 4E04 (655)
	Phone Number: 208-476-4591 (office)
	Phone Number: 208-476-4591 (office) Email: mark_drobish@fws.gov
EACH ITY SIZE (Email: mark_drobish@fws.gov
FACILITY SIZE (annual fish production;	Email: mark_drobish@fws.gov □ > 500,000 (monthly)
affects frequency of monitoring	Email: mark_drobish@fws.gov
affects frequency of monitoring requirements in parentheses) Confirm	Email: mark_drobish@fws.gov □ > 500,000 (monthly)
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly)
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection.	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain)
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection.	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer Idaho Department of Environmental Quality
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection. INSPECTOR(s) AND AFFILIATION	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection.	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer Idaho Department of Environmental Quality Technical Services – State Office
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection. INSPECTOR(s) AND AFFILIATION	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer Idaho Department of Environmental Quality Technical Services – State Office Nicolas Hiebert – Inspector in Training
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection. INSPECTOR(s) AND AFFILIATION RECEIVED	Email: mark_drobish@fws.gov > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) < 100,000 (semi-annual) Other (explain) Michael Spomer Idaho Department of Environmental Quality Technical Services - State Office Nicolas Hiebert - Inspector in Training Idaho Department of Environmental Quality
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection. INSPECTOR(s) AND AFFILIATION	Email: mark_drobish@fws.gov □ > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) □ < 100,000 (semi-annual) □ Other (explain) Michael Spomer Idaho Department of Environmental Quality Technical Services – State Office Nicolas Hiebert – Inspector in Training
affects frequency of monitoring requirements in parentheses) Confirm production and monitoring frequency during the inspection. INSPECTOR(s) AND AFFILIATION RECEIVED	Email: mark_drobish@fws.gov > 500,000 (monthly) X - 100,000 - 500,000 (quarterly) < 100,000 (semi-annual) Other (explain) Michael Spomer Idaho Department of Environmental Quality Technical Services - State Office Nicolas Hiebert - Inspector in Training Idaho Department of Environmental Quality

(IEMU)

DATE OF INSPECTION:	Date: July 23, 2014
	Arrival Time: 9 am
	Departure Time: 1:00 pm
Photo of facility sign, if any, and facility	
DATE OF FINAL REPORT	Date: September 3, 2014 Mulal Sponer

ENTRY AND PERMIT CONDITIONS REVIEW

X Present your credentials and provide a business card; explain the purpose of the inspection and how you plan to proceed.

Interviewee Questions	
1. Obtain representative's name, position, and phone number.	Name: Mark Drobish
	Position: Hatchery Manager
	Phone: 208-476-4591
2. How long has the representative worked for the company?	6 years at this location
3. How long has he/she held the position?	6 years
4. Are there other representatives who were present?	Greg Parker – Army Corp. of Engr. Michael Tuell – Nez Perce Tribe John Stuto – Army Corp. of Engr. Adam Izbicki – US Fish and Wildlife Service Lucian Stewart – Army Corp of Engr.
77.7.0000	
NOI Review: Show the interviewee the NOI, and ask him/her to review it for errors. If errors are found, ask him/her to correct the errors and initial the corrections. A new NOI should be submitted if several corrections are made.	
1. What is the date of the most recently subm	itted NOI? May 8, 2012
2. Is the NOI complete and current?	□Yes X □No
3. Have any structural changes been made to the facility recently?	□Yes □No X
4. Any structural changes anticipated? (Plan and Spec review required of IDEQ, if so; see page 47; Part VI.I.2.)	☐Yes ☐No A rehabilitation study is currently under way that may impact changes to the facility.
FACILITY LOCATION, ETC: (see NOI)	Address: 276 Dworshak Complex Dr. Orofino, Idaho 83544 Phone: 208-476-2236 Fax: 208-476-3252

OWNER NAME:	U.S Army Corp of Engineers
·	Corps of Engineers
	Address: 201 N. 3 rd Ave
OWNER ADDRESS:	Walla Walla , Wa 99362-1876
	Phone Number: 509-527-7121
	Fax: 509-527-7820
	E-mail: damian.j.walter@usace.army.mil
OPERATOR NAME:	Dept. of Interior – U.S. Fish and Wildlife Service
	<u>-</u>
OPERATOR ADDRESS:	Address: P.O. Box 18
	Ahsahka, Idaho 83520-0018
	276 Dworshak Complex Dr.
	Orofino, Idaho 83544
	·
	Phone Number: 208-476-4591
	Fax: 208-476-3252
	E-mail: mark_drobish@fws.gov
PERMIT TRANSFERS:	□Yes
1. Is this a new operator?	□No X
According to VII. I. "Transfers. Authorization to disc	charge under this permit may be automatically transferred to a
new permittee on the date specified in the agreement	only if:
	ffice of Water and Watersheds at least 30 days in advance of
the proposed transfer date; The potice includes a written agreement between the	ne existing and new permittees containing a specific date for
transfer of permit responsibility and liability between	
	and the new permittees of its intent to revoke and reissue the
authorization to discharge.	
2. Was EPA and IDEQ notified in writing	□Yes □N/A
of the transfer?	□No
LOCATION OF FACILITY:	GPS taken at entrance to facility.
	Latitude: 46° 30' 8.15" N
	Longitude: -116° 19' 19.37" W
	Date: July 23, 2014
	Time: 9 a.m.
	GPS estimated via Google Earth

AUTHORIZATION TO DISCHARGE		
1. Did you receive a letter authorizing you to discharge?	□Yes X	
	□No	
2. "Addressee" on the authorization to discharge letter:	Name: Army Corp of Engineers	
	US Fish and Wildlife Service	
3. Is this correct?		
	Yes - X	
	□No: name	
4. Do you have a copy of the permit?	☐Yes X (both an electronic copy	
1, 1	and a hard copy were available)	
	□No	
5. Is the facility currently discharging?	□Yes X	
, , , , , , , , , , , , , , , , , , ,	□No	
6. Was the facility containing, growing or holding fish	□Yes X	
on December 1, 2007 (effective date of the permit)?		
7. If not currently discharging, when do you expect to	□N/A	
rear fish again at this facility?	Date:	
	Date.	
8. Do you plan to participate in Pollutant Trading?	[] X X	
6. Do you plan to participate in Fondiant Trading:	□Yes	
	□No X	
(We will add more questions later once pollutant trading		
starts to happen.)		
DECHINED DISCHARGES D. AH D. D 12		
PROHIBITED DISCHARGES, Part II.B., Page 12 Review the prohibited discharges 1 and 2 (a-h) with the ir	nterviewee. I did review the	
Permit Language with the hatchery staff at the time of		
1. Have you had any such prohibited discharges that you	Yes	
know of since December 1, 2007?	□No X	
	LINOX	
2. Do you expect to have any difficulty muchibiting such		
2. Do you expect to have any difficulty prohibiting such discharges from this facility?	□Yes	
discussing the first the f	□No X	
Questions or Comments:		

PROHIBITED PRACTICES, Part II.C., Pages 12 1. Review the prohibited practices 1 through 2 with the interviewee. I did review the permit language with the hatchery staff at the time of the inspection.		

2. Have you or any other employee engaged in any of these prohibited practices that you know of since December 1, 2007?	□Yes □No X	
3. Do you expect to have any difficulty prohibiting such practices at this facility?	□Yes □No X	
Questions or Comments:		
FACILITY MONITORING, Part II.D., (see page 13) Ask to see the recent DMRs and raw data. Review to determine if the permittee is filling in the correct data (influent, effluent raw data, and effluent net). See page 30, II.D.2.b., for requirement when data are less than MDL. According to II. D., "The permittee shall monitor discharges from all outfalls authorized under the permit as specified in Tables 12 and 13" (see pages 30-33) For frequency requirements, see footnote 16 of Table 12, and footnote 29 of Table 13 for OLSBs)		
1. When was the last monitoring event?	July 9, 2014	
2. Who conducted the monitoring?		
2. Who conducted the monitoring:	Site Biologists (Jeremy Sommer or Tom Tighe)	
	Sommer or Tom Tighe)	
3. Is this the person who usually conducts the monitoring?	, , ,	
3. Is this the person who usually conducts the monitoring?	Sommer or Tom Tighe) Yes X No	
	Sommer or Tom Tighe) UYes X	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half hour intervals or greater in a 24 hour period.)	Sommer or Tom Tighe) ☐ Yes X ☐ No They collect 4 discrete grab samples at least ½ hour apart and composite.	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half	Sommer or Tom Tighe) ☐ Yes X ☐ No They collect 4 discrete grab samples at least ½ hour apart	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half hour intervals or greater in a 24 hour period.) 4. When sampling raceway discharge, is at least one sample	Sommer or Tom Tighe) ☐ Yes X ☐ No They collect 4 discrete grab samples at least ½ hour apart and composite. ☐ Yes X	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half hour intervals or greater in a 24 hour period.) 4. When sampling raceway discharge, is at least one sample taken during quiescent zone or raceway cleaning? If not, why not.	Sommer or Tom Tighe) ☐ Yes X ☐ No They collect 4 discrete grab samples at least ½ hour apart and composite. ☐ Yes X	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half hour intervals or greater in a 24 hour period.) 4. When sampling raceway discharge, is at least one sample taken during quiescent zone or raceway cleaning?	Sommer or Tom Tighe) ☐ Yes X ☐ No They collect 4 discrete grab samples at least ½ hour apart and composite. ☐ Yes X	
3. Is this the person who usually conducts the monitoring? 3. What is the interval of discrete sampling for the composite sample? (permit requires four or more discrete samples taken at one-half hour intervals or greater in a 24 hour period.) 4. When sampling raceway discharge, is at least one sample taken during quiescent zone or raceway cleaning? If not, why not. 5 What type of sample are you taking for influent? (permittees	Sommer or Tom Tighe) □Yes X □No They collect 4 discrete grab samples at least ½ hour apart and composite. □Yes X □No Grab samples from the reservoir vault and the river	

Part of the second seco			
7. When was the most recent DMR submitted to EPA and IDEQ?	June 2014 – using electronic submittal.		
8. How and where is flow measured for the raceways?			
o. How and where is now incasured for the faceways:			
The facility has several magnetic flow meters and also measures the flow out of the standpipes at the outlet of each raceway. A Water Stick Flow Gauge (Warren Water Brooms Mfg.) is used to measure the amount of water flow over the standpipe out of the raceways and burrows.			
During the facility inspection, Mr. Drobish did point out that during the months of March through July, a portion (10%) of the nursery effluent flow is diverted around the clarifiers and is discharged directly to the clarifier system I outlet. If this nursery effluent is not bypassed, the water backs up in the nursery. He indicated this situation is being evaluated in the Hatchery Rehabilitation study currently in progress.			
And by whom? Hatchery operational staff			
Is this flow measurement method one of those specified in Appendix C. Part I.A., page 49? ☐Yes			
\square No $-X$ (This issue was noted in the Notice of Violation issued on December 11, 2008 and again in the Notice of Continuing Noncompliance issued on February 9, 2011).			
· · · · · · · · · · · · · · · · · · ·			
9. How is the flow measuring device calibrated? And by whom? The facility uses a Water Stick Flow Gauge (Warren Water Brooms Mfg.) to measure the amount of water flow over the standpipe. The Francis Formula (Piper et al 1982, attachment 1) is used for calculating flow rates. The measurement of the depth of the crest of flow in inches is converted using a modified Francis Formula value (gpm/cfs) and diameter of the standpipe, to determine the flow rate. No calibration is done, since mathematical formulas and a ruler are used to determine flow.			
10 11 1 1 0 1 0 1 0 1			
10. How and where is flow measured for the offline settling basins?	A totalizing flow meter was installed in 2013.		
And by whom?	Daily readings are taking by operational staff. (LouAnn Lasswell or Rob Bohn)		
11 377			
11. Was net effluent load recorded on the DMR calculated correctly? (check a few DMRs; see Appendix D, page 53 for equations)	☐ Yes X ☐ No		

12. Are you aware of any recent violations of the permit	□Yes	
limits?	□No X	
What was the limit that was exceeded?		
When was it?		
13. Are the data reported properly on the DMR?	□Yes X	
	□No	
14. Are DMR data consistent with analytical results?	☐Yes X	
,		
	□No	
RECEIVING WATER MONITORING, Part II.E., (see page		
According to II.C.1., "All permittees with OLSB that discharge directly to re		ct receiving
water monitoring for ammonia, pH, and temperature upstream from the outf		_
And 2., "All facilities using chelated copper compounds or copper sulfate m	ust monitor total recoverab	le copper
and hardness immediately upstream of the outfall at least once in any quarte	r wnen tnese compounds ai	re applied"
Ask to see the QA plan which will describe where the samples are taken in t	he receiving stream	
22 plan which will describe where the samples are taken in t	ne receiving stream.	
1. If the facility has an OLSB discharging to a receiving stream	Are vou	- TT 37
monitoring receiving water for ammonia, pH, and temperature?		☐Yes X
monitoring receiving water for animoma, pri, and temperature?		□No
2. Are you monitoring receiving water for copper quarterly whe	en you use it?	□Yes
		□No
Not using copper chemicals at the hatchery.		N/A X
		11/71.28
2 4 1 10 10 10 170 11 1 10		
3. Are you submitting the results to EPA and IDEQ with the DI	MRs?	☐Yes X
		□No

QUALITY ASSURANCE PLAN, Part II.F., (see page 15)		
According to II.F. "The permittee must develop a QA plan for all monitoring	a magninad har this manualt	The wless
must be developed and implemented within 60 days of coverage under this		t ne pian
masses developed and implemented within 60 days of coverage ander this	701111111	
1 Do you have a OA plan?		
1. Do you have a QA plan?		\square Yes X
		□No
2. When did you submit the certification that a plan has been de	eveloped?	February
2	rotopou.	25, 2008
		43, 4000

r	
According to II.F.3.a) the QA Plan must include: details on the number of samples, type of sample corpreservation of samples including temperature requirements, holding times, analytical methods, analytical detection and quantification limits for each parameter, type and number of quality assurance field samp precision and accuracy requirements, sample preparation requirements, sample shipping methods, and data delivery requirements.	cal les,
3. Does the plan include these details?	☐Yes X
Note: The QA Plan included the QA plan for Anatek Labs Inc., the analytical	
lab used for all water testing.	□No
The doct for all fraction to the first testing.	
If not, what is missing?	
According to II.F.3.a) the QA Plan must include: description of flow measuring devices or methods us measure influent and/or effluent flow at each point, calibration procedures, and calculations used to con units. If a permittee's facility has multiple effluent discharge points and/or influent points, it must describe method of compositing samples from all points proportionally to their respective flows.	vert to flow
4. Does the plan include the flow measuring description?	□Yes X □No
5. Does the plan describe the method of compositing samples?	☐Yes X
	□No
	
6. If you elected to take grab samples of influents, does the plan provide evidence	\square Yes X
of insignificant variability among influent sources?	\square No
7. If you elected to not monitor small discharges that comprise less than 1% of the	□Yes X
total raceway flows, does the plan provide justification that effluent quality of these discharges is the same as monitored discharges?	□No
·	
8. Does the plan include a map(s) of sampling points?	☐Yes X
The state of the s	[
	□No
9. Did you include in your QA plan the quality assurance and control for receiving	Voc. V
	Yes X
water monitoring, including the sampling location rationale?	□No
10. Does the plan include qualifications and trainings of personnel?	□Yes
The only information in the QA plan is the following statement "On the job	□No X
training as needed." QA plan lacks detail on training content and qualifications.	

11. Does the plan include the laboratory name and telephone number?		□Yes X □No
12. Is facility following / using the QA Plan?	V 3	□Yes X □No
BEST MANAGEMENT PRACTICES PLAN, Part III., (see According to Part III.C. "the permittee must develop and implement a BMP requirements listed in Part III.E.		he specific
1. Do you have a BMP plan?	☐Yes X	
17 2 0 Johnson a 2011 plant		
	□No	
If not on site, is it in the possession of staff when they are working on-site?	□Yes □No	
		•
2. When did you submit the certification that a plan has been developed?	February 25,	2008
The BMP plan must include the following BMPs: (see page 17		
1. Chemical Storage		
a. ensure proper storage to prevent spills,		
a. onsure propor storage to prevent spins,		☐Yes X
b. implement procedures for proper containing, cleaning and disposing of		□No
spilled material.		[] XZ XZ
		☐Yes X
		□No
 Structural Maintenance a. routinely inspect rearing and holding units and waste collection containment to identify and promptly repair damage, 		☐Yes X ☐No Daily (M-F)
How often?		Daily (M-F)
b. Regularly conduct maintenance of rearing and holding ur collection and containment systems to ensure their proper for		□Yes X □No

 3. Training Requirements: a. Train personnel in spill prevention and clean-up and disposal of spilled materials. b. Train personnel on proper structural inspection and maintenance of rearing and holding units and waste collection and containment systems. Mr. Drobish discussed the training given to staff; however I did not verify the training details in the Plan of Operations. 	□Yes X □No □Yes X □No
 4. Operational Requirements: a. Water which is disinfected with chlorine or other chemicals must be treated before it is discharged to waters of the U.S. b. Treatment equipment used to control the discharge of floating, suspended or submerged matter must be cleaned and maintained at a frequency sufficient to prevent overflow or bypass of the treatment unit by floating, suspended, or submerged matter. c. Procedures must be implemented to prevent fish from entering quiescent zones, full-flow and off-line settling basins. Fish which have entered quiescent zones or basins must be removed as soon as practicable. d. All drugs and pesticides must be used in accordance with applicable label directions (FIFRA or FDA) e. Chelated copper compounds and copper sulfate, when used, must be applied to only one raceway at a time. f. Identify and implement procedures to collect, store, and dispose of wastes, such as biological wastes, in accordance with IDAPA §02.04.17 and IDAPA §58.01.02. Such wastes include fish mortalities and other processing solid wastes from aquaculture. g. Implement procedures to control the release of transgenic or non-native fish or their diseases as specified in any permit(s) issued by the Idaho Department of Fish and Game for the importation, transportation, release or sale of such species, in accordance with IDAPA §13.01.10.100. h. Implement procedures to eliminate the release of PCBs from any known sources in the facility, including paint, caulk, or feed 	□Yes X □No □Yes X □No □Yes X □No □Yes X □No (not used at site) □Yes X □No □Yes X □No □Yes X □No
When was the BMP Plan last updated?	January 2014
	1

AQUACULTURE SPECIFIC REPORTING REQUIREMENTS, Part IV., Page 19

A. Drug And Other Chemical Use And Reporting Requirements (see pages 19)			
1. Do you use drugs, pesticides or other chemicals?	□Yes X		
	□No		
If yes, ask to see the Chemical Log Sheet. (see Appendix F, page 65)			
1			
1. Are records being maintained of all applications?	☐Yes X		
	□No		
2. When an INAD or extralabel drug is used for the first time, you are required to report this orally and in writing to EPA and IDEQ.	v		
Here was used DIADs as also to see DIADs as add 1.1.1.1.2.2	□Yes X		
Have you used INADs or plan to use INADs or extralabel drugs? If so,	□No		
Have you written to EPA and IDEQ that you have signed up to use an	□Yes X		
INAD or prescription? (page 62)	Date:		
	□No		
	□Yes X		
Have you provided an oral report to EPA and IDEQ of an INAD or	Date: February 15,		
prescription use? (page 63)	2013		
	□No		
	□ 3.7		
Have you provided a written report to EPA and IDEQ of an INAD or	☐Yes X		
prescription use? (page 63)	Date: July 7, 2000 and on February		
	22, 2013		
	□No		
B. Structural Failure (see page 39)			
Remind the interviewee of this new requirement:	Reviewed with staff		
Failure or damage to the facility must be reported to EPA and IDEQ	Yes X		
orally within 24 hours and in writing within five days when there is a	□No		
resulting discharge of pollutants to waters of the U.S.			
C. Spills of feed, drugs, pesticides or other chemicals (see page 39)	D 3 44		
Remind the interviewee of this new requirement: The permittee must monitor and report to EPA and IDEQ any spills	Reviewed with staff Yes X		
that result in a discharge to waters of the United States; these must be			
reported orally within 24 hours and in writing within five days.	LINU		

D. Annual Report of Operations (see page 40) Remind the interviewee of this requirement: The permittee must prepare and submit an annual report of operations by January 20 th of each year to EPA and IDEQ. (see Appendix G, page 69-70 for form)	Reviewed with staff Yes X □No
TOT TOTAL	
1. Did you submit the last report as required?	□Yes X □No
2. Is the annual report complete? (Check the report against the required elements on pages 69-70.)	□Yes X □No
Ask to see the annual logs of production. 3. Are the logs consistent with what is reported in the annual report?	□Yes X □No
Was the facility able to provide all the required paper documentation requested?	□Yes X □No
FACILITY PHYSICAL INSPECTION	
Objectives of the facility inspection include: identifying all discharges to the surface waters from the facility; observing and recording prohibited discharges or practices; and noting any problems. Many of these questions are subjective.	
1. Any excessive feed in the raceways?	□Yes □No X
2. Any excessive solids stirred up in raceways?	□Yes □No X
3. Are all the barrier dam boards in place and level? Facility uses adjustable stand pipes to maintain levels.	□Yes X □No
4. Any excessive solids built up in quiescent zones?	□Yes □No X
5. Any excessive solids going over the dam boards.	□Yes □No X
6. Any fish observed in the quiescent zones?	□Yes □No X

2. Are effluent sample locations adequate?	□Yes X
	□No
2 Am complement 1/: 11 C	·
3. Are samples refrigerated / iced down after	☐ Yes X
sampling?	□No
4. Are samples iced down during transportation to	☐ Yes X
contract Lab?	□No
Solids Containment and Storage	
1. Is the solids disposal area adequate?	□Yes X
•	□No
2. Removed solids prevented from reentry to	
navigable waters?	□Yes X
navigable waters:	□No
3. Does the facility land apply solids or irrigate with	☐Yes X – However, no solids were
or apply wastewater?	applied in 2013 or so far in 2014.
	□No
Inspection Conclusion Data Sheet (ICDS) informa	ation
	□Yes- X
1. Did you observe deficiencies (potential violations)	□No
during the on-site inspection?	LINO
2. If so, did you communicate them to the facility	□Yes - X
during the inspection?	□No
daring the mopeotion.	
3. Did the facility or operator take any corrective	\Box Yes Not during the inspection
actions	□No - X
	filar ar
4. Did you provide general compliance assistance	☐Yes - X
during the inspections?	□No
Questions asked by the facility during the course of the	
inspection and follow-up discussions:	1. Since this was my first inspection of
1) We're digging back into records that are alder then 5	this facility and my pre-inspection
1) We're digging back into records that are older than 5-years that we've migrated out of our normal files, did EPA or DEO	review did not find the various
that we've migrated out of our normal files, did EPA or DEQ	review did not find the various certifications and notices required in
	review did not find the various

2) If I understand correctly, pg 62 and 63 are only required when a INAD is used for the first time on a facility (pg 19) - is that your understanding as well? As I mentioned, we have pretty good records and it surprises me not to see these more often - that may explain why I'm not finding these pages. 3) Once an INAD or Extralabel drug is established, can it then be reported annually as part of the chemical use log of the Annual Report?	requirement. However, it is always a good practice to keep key data (drug use etc.) for historical purposes. 2. I would agree with your assessment that reporting is only required for first time use. 3. I agree with the facility that reporting of the drug information can be reported on the Annual Report. On page 70 of the permit, in the annual report Section VIII. Chemical Usage reporting includes reporting of pesticides and drugs.
5. Did you provide site-specific compliance	□Yes
assistance?	□No X
AREAS OF CONCERN:	 The Quality Assurance plan did not have adequate detail for training personnel in sampling and flow measurement techniques. Continued use of non-standard flow measuring devices – Notice of continuing Noncompliance February 9, 2011. During months of March to July, the diversion of 10% of the nursery effluent flow around the clarifiers and directly to the river.

Photographic Documentation

Name of Facility: Dworshak Fish Hatchery NPDES Inspection

Inspector(s): Michael Spomer and Nicolas Hiebert

Inspection Date: Tuesday, July 22, 2014

Purpose of Inspection: Compliance Inspection for permit IDG-13000-3




Publish Date: Monday 18 August 2014


Table of Photographs:

Photograph 1: River influent sample location 009A20
Photograph 2: River influent sample location 009A20
Photograph 3: Influent water treatment area - Vacuum Degassers21
Photograph 4: Influent water treatment area - Packed Columns22
Photograph 5: Nursery Building Interior23
Photograph 6: Incubation building - incubation trays23
Photograph 7: Incubation building influent flow meter24
Photograph 8: Effluent end of 25 pond Barrow Pond reuse system 1 (fish raceways)24
Photograph 9: Effluent end of 25 pond Barrows Pondreuse system 1 - section where water can be
diverted during clean out (Cleaning Channel)25
Photograph 10: Discharge to river from Burrows Pond reuse systems 1 and 2 25
Photograph 11: Empty ponds at 34 Burrows Pond reuse system26
Photograph 12: Bio-Filter Beds26
Photograph 13: Bio-Filter and Raceway Off-line Settling pond - influent end 27
Photograph 14: Bio-Filter and Raceway Off-Line Settling pond28
Photograph 15: solids drying beds and storage area28
Photograph 16: Outlet end of the Bio-Filter and Raceway Off-Line Settling pond - floatable solids
restriction weir29
Photograph 17: Outlet end of the Bio-Filter and Raceway Off-Line Settling pnd 29
Photograph 18: Bio-Filter and Raceway Off-Line Settling pond effluent flow meter30
Photograph 19: River Discharge from Bio-Filter and Raceway Off-Line Settling ponds 30
Photograph 20: Interior of chemical storage shed (secondary containment floor) 31
Photograph 21: Chemical storage shed31
Photograph 22: Flow meter readout for Bio-Filter influent Off Line Settling Pond 32
Photograph 23: SCS raceways32
Photograph 24: SCS raceways drain cleanout plug (Mud Valve)33
Photograph 25: Effluent discharge line at river for the SCS raceways (Non-Cleaning effluent) 33
Photograph 26: Incoming fish ladder for returning fish from ocean

NPDES INSPECTION checklist October 1, 2014




Photograph 1: River influent sample location 009A



2. Photograph 2: River influent sample location 009A



Photograph 3: Influent water treatment area - Vacuum Degassers



4. Photograph 4: Influent water treatment area - Packed Columns




5. Photograph 5: Nursery Building Interior



6. Photograph 6: Incubation building - incubation trays




7. Photograph 7: Incubation building influent flow meter




8. Photograph 8: Effluent end of 25 pond Barrow Pond reuse system 1 (fish raceways)



9. Photograph 9: Effluent end of 25 pond Barrows Pond_reuse system 1 - section where water can be diverted during clean out (Cleaning Channel)




10. Photograph 10: Discharge to river from Burrows Pond reuse systems 1 and 2



11. Photograph 11: Empty ponds at 34 Burrows Pond reuse system




12. Photograph 12: Bio-Filter Beds



13. Photograph 13: Bio-Filter and Raceway Off-line Settling pond - influent end

NPDES INSPECTION checklist October 1, 2014



14. Photograph 14: Bio-Filter and Raceway Off-Line Settling pond




15. Photograph 15: solids drying beds and storage area




16. Photograph 16: Outlet end of the Bio-Filter and Raceway Off-Line Settling pond-floatable solids restriction weir



17. Photograph 17: Outlet end of the Bio-Filter and Raceway Off-Line Settling pond



Photograph 18: Bio-Filter and Raceway Off-Line Settling pond effluent flow meter 18.



Photograph 19: River Discharge from Bio-Filter and Raceway Off-Line Settling ponds




20. Photograph 20: Interior of chemical storage shed (secondary containment floor)



21. Photograph 21: Chemical storage shed




22. Photograph 22: Flow meter readout for Bio-Filter influent Off Line Settling Pond




23. Photograph 23: SCS raceways



24. Photograph 24: SCS raceways drain cleanout plug (Mud Valve)



25. Photograph 25: Effluent discharge line at river for the SCS raceways (Non-Cleaning effluent)



26. Photograph 26: Incoming fish ladder for returning fish from ocean